



Portfolio

Produktprogram
Product Ranges
Produktprogramm



**Indirekt Kylsystem / Indirect Cooling System
Indirekte Kølssysteme / Indirekte Kølesystem**

**Fläktluftkylare
Liquid Air Cooler
Luftkøler
Unit Coolers (for brine)**



CBFI 1-12
144 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
2,5-70 kW



CBDL 1-9
36 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
4,8-34,5 kW

Antarctic & CBFC
24 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
1-107 kW



**Fläktförångare
DX Cooler
Hochleistungsverdampfer
Unit Coolers (for direkte ekspansion)**



EVFI 1-12
144 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
2,3-68 kW



EVDL 1-9
36 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
5,5-34,5 kW

Antarctic & EVFC
24 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
1-107 kW



**Direkt Kylsystem / Direct Cooling System
Direkte Kølssysteme / Direkte Kølesystem**

**Kylmedelkylare
Dry Cooler
Rückkühler
Tørkølere**




XPS
20 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
7,5-221 kW



DXP120 1-15
60 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
220-1635 kW



XP80 V/H 1-17- XP90 V/H 1-17
272 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
20-726 kW



XP120 1-8
32 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
200-1143 kW

DXP100
136 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
24-726 kW



**Luftkylda kondensorer
Air Cooled Condensers
Luftgekühlte Verflüssiger
Kondensatorer**



CPS
20 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
7,5-221 kW



CP80 V/H 1-17-CP90 V/H 1-17
272 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
22-778 kW

DCP100 1-15
60 – Modeller / Models / Modelle
Effektområde / Capacity Range
Leistungsbereich / Kapacitet
151-1022 kW







/H 1-17
Modelle
ange
t



Övrigt sortiment
Other products
Übrige Produkte
Andre Produkter

KBEH/V
Egenkonvektionselement
Gravity Cooler
Stille Kühlung
Stille Køling




LKKB, LVVB
Kanalbatterier
Duct mounted coils
Lamellenwärmetauscher
Lamel Varvekslere

FCV/T KV 10-21
Klimatstyrningsaggregat
Fan Coil
Gebläsekonvektoren
Fan Coil



Övrigt sortiment
Other products
Übrige Produkte
Andre Produkter

EVEH/V
Egenkonvektionselement
Gravity Cooler
Stille Kühlung
Stille Køling




M19, LMH29, LMH59, L99
Lödda Plattvärmeväxlare
Braze Plate Heat Exchanger
Gelötete Plattenwärmetauscher
Pladevarvekslere


FCV DX 10-21
Klimatstyrningsaggregat
Fan Coil
Klimageräte
Fan Coil



R404A / CO₂ Cascade System



Återförsäljare / Retail Dealers / Widerverkäufer / Forhandlere



HEAT EXCHANGERS
Highest efficiency

A

B


C

D

E

GUARANTEED

a member of **BEIJER REF**



AIA

ASARUMS INDUSTRI AB
S. Industrivägen 2-4 • SE-374 50 Asarum
Tel +46 454 334 00 • Fax +46 454 32 02 95
e-mail: info@aia.se • www.aia.se

